Ponnection D

Medical Management Update February 2019



HEDIS® - Measuring the Quality of Care

HEDIS® measures are developed and defined by NCQA, the national quality organization that evaluates health plans for accreditation. The HEDIS® measures address a wide span of services and facilitate improved outcomes for members. To promote understanding of the quality indicators for some of the key respiratory HEDIS® measures, we have provided a brief reference.

Appropriate Treatment for Children with URI (3 months - 18 years)

Expectation: Children with a diagnosis of URI (only) are **not** dispensed an antibiotic

Appropriate Testing for Children with Pharyngitis (2 - 18 years)

Expectation: Children with a diagnosis of Pharyngitis (only) who were dispensed an antibiotic received a strep test for the episode of care

Avoidance of Antibiotic Treatment in Adults with Acute Bronchitis (18 - 64 years)

Expectation: Adults with a diagnosis of acute bronchitis (only) are not dispensed an antibiotic

This is a brief summary of the expectation of these measures. Administrative specifications, eligible populations, exclusions from measure or other detail is available at McLarenHealthPlan.org. If you have questions, please comment below and return by fax. We will contact you.

Remember to talk to your patients about smoking cessation, MHP has a free stop smoking program for MHP Community and Mediciad members, call (800) 784-8669.

Thank you for the quality care you deliver!

PCP Feedback (Please print)	Comments, requests, questions, etc.: FAX to (833) 540-8648
Name:	Phone:
Email:	